

References

- Bartlett, S. J., Leon, E. de, Orbai, A. M., Haque, U. J., Manno, R. L., Ruffing, V., Butanis, A., Duncan, T., Jones, M. R., Leong, A., Perin, J., Smith, K. C., & Bingham, C. O. (2020). Patient-reported outcomes in RA care improve patient communication, decision-making, satisfaction and confidence: Qualitative results. *Rheumatology (Oxford, England)*, 59(7), 1662–1670. <https://doi.org/10.1093/rheumatology/kez506>
- Bonsel, J. M., Itiola, A. J., Huberts, A. S., Bonsel, G. J., & Penton, H. (2024). The use of patient-reported outcome measures to improve patient-related outcomes – a systematic review. <https://doi.org/10.21203/rs.3.rs-4116168/v1>
- Braun, T., Rieckmann, A., Weber, F., & Grüneberg, C. (2018). Current use of measurement instruments by physiotherapists working in Germany: A cross-sectional online survey. *BMC Health Services Research*, 18(1), 810. <https://doi.org/10.1186/s12913-018-3563-2>
- Campbell, R., Ju, A., King, M. T., & Rutherford, C. (2022). Perceived benefits and limitations of using patient-reported outcome measures in clinical practice with individual patients: A systematic review of qualitative studies. *Quality of Life Research : An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 31(6), 1597–1620. <https://doi.org/10.1007/s11136-021-03003-z>
- Carfora, L., Foley, C. M., Hagi-Diakou, P., Lesty, P. J., Sandstrom, M. L., Ramsey, I., & Kumar, S. (2022). Patients' experiences and perspectives of patient-reported outcome measures in clinical care: A systematic review and qualitative meta-synthesis. *PloS One*, 17(4), e0267030. <https://doi.org/10.1371/journal.pone.0267030>
- Churruca, K., Pomare, C., Ellis, L. A., Long, J. C., Henderson, S. B., Murphy, L. E. D., Leahy, C. J., & Braithwaite, J. (2021). Patient-reported outcome measures (PROMs): A review of generic and condition-specific measures and a discussion of trends and issues. *Health Expectations : An International Journal of Public Participation in Health Care and Health Policy*, 24(4), 1015–1024. <https://doi.org/10.1111/hex.13254>
- Fontaine, G., Ramos, J., Mooney, M., Perron, M. E., Crump, L., & Lambert, S. D. (2026). Implementation strategies for embedding patient-reported outcome and experience measures (PROMs/PREMs) in routine care: Secondary analysis of an umbrella review. *Journal of Patient-Reported Outcomes*, 10(1), 17. <https://doi.org/10.1186/s41687-026-01006-3>
- Gibbons, C., Porter, I., Gonçalves-Bradley, D. C., Stoilov, S., Ricci-Cabello, I., Tsangaris, E., Gangannagaripalli, J., Davey, A., Gibbons, E. J., Kotzeva, A., Evans, J., van der Wees, P.

J., Kontopantelis, E., Greenhalgh, J., Bower, P., Alonso, J., & Valderas, J. M. (2021). Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. *The Cochrane Database of Systematic Reviews*, 10(10), CD011589.

<https://doi.org/10.1002/14651858.CD011589.pub2>.

Groenewegen, A., van Muilekom, M. M., Sieben, C. H., Luijten, M. A., Janssen, S. L., Venema-Taats, N., Korte, M., Terwee, C. B., Wee, P. M. ter, van Oers, H. A., & Haverman, L. (2024). The Amsterdam PROM Implementation Strategy: Policy and Pathway. *NEJM Catalyst*, 5(7). <https://doi.org/10.1056/CAT.23.0414>

Kremers, M. N. T., Zaalberg, T., van den Ende, E. S., van Beneden, M., Holleman, F., Nanayakkara, P. W. B., & Haak, H. R. (2019). Patient's perspective on improving the quality of acute medical care: Determining patient reported outcomes. *BMJ Open Quality*, 8(3), e000736. <https://doi.org/10.1136/bmjopen-2019-000736>

Ligt, K. M. de, Hommes, S., Vromans, R. D., Boomstra, E., van de Poll, L. V., & Krahmer, E. J. (2025). Improving the Implementation of Patient-Reported Outcome Measure in Clinical Practice: Tackling Current Challenges With Innovative Digital Communication Technologies. *Journal of Medical Internet Research*, 27, e60777.

<https://doi.org/10.2196/60777>

Meerhoff, G. A., van Dulmen, S. A., Maas, M. J., Bakker-Jacobs, A., Nijhuis-Van der Sanden, M. W., & van der Wees, P. J. (2021). Exploring the perspective of patients with musculoskeletal health problems in primary care on the use of patient-reported outcome measures to stimulate quality improvement in physiotherapist practice; a qualitative study. *Physiotherapy Theory and Practice*, 37(9), 993–1004.

<https://doi.org/10.1080/09593985.2019.1678205>

Mejdahl, C. T., Schougaard, L. M. V., Hjollund, N. H., Riiskjær, E., Thorne, S., & Lomborg, K. (2017). Pro-based follow-up as a means of self-management support - an interpretive description of the patient perspective. *Journal of Patient-Reported Outcomes*, 2, 38.

<https://doi.org/10.1186/s41687-018-0067-0>

Melbye, C., Östhols, S., Rosen, P. von, & Rasmussen-Barr, E. (2025). What factors are associated with physical therapists' use of patient-reported outcome measures in managing patients with low back pain in primary health care in Sweden? *Brazilian Journal of Physical Therapy*, 29(6), 101250. <https://doi.org/10.1016/j.bjpt.2025.101250>

Östhols, S., Boström, C., & Rasmussen-Barr, E. (2019). Clinical assessment and patient-reported outcome measures in low-back pain - a survey among primary health care physiotherapists. *Disability and Rehabilitation*, 41(20), 2459–2467.

<https://doi.org/10.1080/09638288.2018.1467503>

- Philpot, L. M., Barnes, S. A., Brown, R. M., Austin, J. A., James, C. S., Stanford, R. H., & Ebbert, J. O. (2018). Barriers and Benefits to the Use of Patient-Reported Outcome Measures in Routine Clinical Care: A Qualitative Study. *American Journal of Medical Quality : The Official Journal of the American College of Medical Quality*, 33(4), 359–364. <https://doi.org/10.1177/1062860617745986>
- Silveira Bianchim, M., Crane, E., Jones, A., Neukirchinger, B., Roberts, G., Mclaughlin, L., & Noyes, J. (2023). The implementation, use and impact of patient reported outcome measures in value-based healthcare programmes: A scoping review. *PloS One*, 18(12), e0290976. <https://doi.org/10.1371/journal.pone.0290976>
- Steinbeck, V., Ernst, S. C., & Pross, C. (2021). Patient-Reported Outcome Measures (PROMs): ein internationaler Vergleich. <https://doi.org/10.11586/2021053>
- Stern, B. Z., Pila, S., Joseph, L. I., Rothrock, N. E., & Franklin, P. D. (2022). Patients' perspectives on the benefits of feedback on patient-reported outcome measures in a web-based personalized decision report for hip and knee osteoarthritis. *BMC Musculoskeletal Disorders*, 23(1), 806. <https://doi.org/10.1186/s12891-022-05764-1>
- Stillman, I. O., Boyle, B., Lencoski, K., Styliadou, M., Muir, J. M., & Sarri, G. (2025). Rooting patient-reported outcomes in clinical care: A scoping review on benefits, challenges, and opportunities for patients and clinicians. *Health and Quality of Life Outcomes*, 23(1), 93. <https://doi.org/10.1186/s12955-025-02430-7>
- Stover, A. M., Haverman, L., van Oers, H. A., Greenhalgh, J., & Potter, C. M. (2021). Using an implementation science approach to implement and evaluate patient-reported outcome measures (PROM) initiatives in routine care settings. *Quality of Life Research : An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 30(11), 3015–3033. <https://doi.org/10.1007/s11136-020-02564-9>
- Unni, E., Coles, T., Lavalley, D. C., Freel, J., Roberts, N., & Absolom, K. (2024). Patient adherence to patient-reported outcome measure (PROM) completion in clinical care: Current understanding and future recommendations. *Quality of Life Research : An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, 33(1), 281–290. <https://doi.org/10.1007/s11136-023-03505-y>